
TRUCK CATALOG
NO. 0

FOOTE AXLE & FORGE L.L.C.









AXLE SHAFTS

CATALOG NO. 0

TABLE OF CONTENTS

Axle Type Illustration ..... Page 1

Eaton to Foote Interchange List ..... Page 2

Rockwell to Foote Interchange List ..... Page 3

Numerical Listing Rockwell Assemblies ..... Page 4

Foote Axle Shaft No. to Original Equipment Mfg. & Specifications ..... Page 5

Principal applications & approx. Shipping Weights ..... Page 23

Sample Identification ..... Page 25

SPECIAL AXLES & SHAFTS

Our Modern equipment and facilities enable us to produce all types of shafts for Trucks and Tractors as well as for other innumerable uses. Submit your drawings and specifications, and quotations will be promptly forwarded.

GENERAL INFORMATION

Our axles and drive shafts are manufactured for the replacement trade. It is not intended to convey the thoughts that they are original shafts made by the truck or assembly manufacturer. They are sold for use in replacing broken or worn shafts and should be resold by the vendor for such purposes only. Vehicles or assembly manufacturers' part numbers are used to aid in selection of our proper number.

FOOTE AXLE & FORGE L.L.C.

FACTORY AND MAIN OFFICE
3954 Whiteside St., Los Angeles, California 90063, U.S.A.
Telephone (213) 268-4151
National (800) 533-7068
Fax (213) 268-9085


PRINTED-IN-U.S.A.

AXLE-TYPES


The illustrations below classify the principal types of Axles listed in the Catalog. The symbols appear in the alphabetical listing in the column headed "Type and Number of Splines." The letter symbol identifies the type, and the numeral suffix the number of splines. Flanged axles, unless otherwise noted, are measured from inside of flange to end of spline.




TYPE B




TYPE K




TYPE F
INTERGRAL FLANGE




TYPE M
MF-Type M with Press-on Flange




TYPE R



TYPE O
Integral Flange



TYPE J
JF-Type with Press-on Flange



TYPE P

Type "T" same as Type "P", without lock key grove.

GUARANTEE

Our axles are guaranteed to be free from defect in material and workmanship and to be strictly interchangeable with the original manufactures' corresponding axles which they are intended to replace.We will replace without charge, F.O.B. our factory, any axle bearing our name and marks which, in our opinion, proves to be defective material, workmanship, or interchangeability. We will not assume responsibility or recognize claims covering charges for labor or consequential damages. Our liability, either expressed or implied, is limited solely to the replacement of such parts of our manufacture that shall have proven defective.

EATON TO FOOTE INTERCHANGE LIST

Eaton Part No.	Foote Part No.	Eaton Assembly Series
15461	655	IHC
22586	872R	17
22619	729	19-20
22638	732A	17-18-34
27847	834	18-38-42
28429	732A	17-18-34
29130	732A	17-18-34
29458	732A	17-18-34
30024	834	18-38-42
30470	847	16
30562	864	18-38
30687	749	17-34-340
31136	855	16
31403	758	16-30
31673	763A	15
31928	842R	17
32586	846	13-15
32686	749	17-34-340
34689	732A	17-18-34
35310	858	13
35332	866	13-15
37150	953	19
37303	864	18-38
37311	729	19-20
37357	842R	17
37396	732A	17-18-34
37405	732A	17-18-34
37406	732A	17-18-34
37883	732A	17-18-34
38045	953	19
38208	892	18-38-42
38310	834	18-38-42
38928	953	19
40761	930	13
40934	732A	17-18-34
40935	729	19-20
42681	842R	17
42925	953	19
43776	846	13-15
43981	983	18
43982	989L	18
43983	989R	18
43984	985	IHC
44006	984L	17
44007	984R	17
44450	864	18-38
45059	866	13-15
46789	834	18-38-42
49934	732A	17-18-34
51084	729	19-20
51264	1051	19-20-23
52281	1026	30
53597	1051	19-20-23
54014	1040	19-23-26-44-440-480
55293	1022L	GMC
55294	1022R	GMC
55957	1051	19-20-23
55987	1057	16
56203	864	18-38
56979	1026	30
56980	749	17-34-340
56981	1052	18-38-380
58975	1053	16
59502	1058	16-30
62164	1048	16-30-34
62165	1049	17-34-340
62166	1087	18-22-38-380
62214	732A	17-18-34
64130	1063	18-38-380
64893	732A	17-18-34
64973	749	17-34-340
65360	1054	13-15
67591	1049	17-34-340
67742	834	18-38-42
67747	1040	19-32-26-44-440-480
67790	842R	17
72617	1058	16-30
76917	1104	38-380
79005	1128	18-23-26-44-440-480
79130	1131	18
80929	1131	18
81216	1083	18-22-38-380
81683	1081	16-30
88192	1129	50-400-401-480
88987	1098	16
91133	1144	400
99024	1144	23-26-34
110880	1137	13-15
110881	1133	16
110882	1134	17-34-340
110883	1135	18-22-38-300-381-381P
110884	1135	18-22-38-380-381-381P
110885	1136	23-26
110886	1140	17-34-340
110890	1138	19-23-26-44-440-480
111348	1132	16
111544	1141	15
111545	1142	15-16
113334	1210	401
113335	1153	440
113645	1139	16
118866	1167	13-15
119592	1160	15
119593	1158	16
119594	1150	17-341
119595	1207	18-22-381
119596	1208	23
119627	1200	23105
119949	1209	23105
126274	1201	19050S
210512	1202	19050S
210628	1203	19050S
111788	1224	
119628	1225	
127437	1226	
127438	1227	
128514	1228	
128515	1229	
129010	1230	
129011	1231	
210654	1232	
110888	1214	
110889	1215	

ROCKWELL TO FOOTE INTERCHANGE LIST

Rockwell No.	Foote No.	Rockwell No.	Foote No.	Rockwell No.	Foote No.	Rockwell No.	Foote No.
K1779	681	03423	1046	L6564	1024	P8362	1173
Z2054	649	A3459	1042	V6574	1042	08389	1172
Z2262	999	D3462	1013	D6712	1109	H8666	1187
Q2513	965	X3508	1037	T6728	1126L	Z8788	1171
N2536	863S	Z3510	1044	U6729	1126S	B8790	1170
Q2539	863L	B3512	1159L	V6730	1037	Q8805	1183
Q2591	1015R	Z3666	1084L	F6766	1115	B8816	1184
S2593	1015L	A3667	1084R	G6767	1113	J8902	1175R
H2686	762	Z3692	955	S6779	1204	L8904	1175L
Z2704	893	R3710	649	T6780	1112R	W8915	1180
B2706	931	Z3718	1037	W6783	1037	Y8917	1188
D2734	921	X3742	969	F6792	1111	S8937	1189
F2736	922	Z3771	1037	G6793	1130	M8983	1166
L2872	972R	H3888	969	Z7384	1145L	E9001	1174R
M2873	972L	K3911	969	C7387	1145R	F9002	1174L
T2932	932	U3921	969	E7415	1108	G9003	1182
D2942	933	P3942	972R	F7572	1122	S9041	1178
G2971	950	Q3943	972L	W7745	1186	T9042	1177
J2974	1060R	B4448	1080	P7816	1110	U9043	1179
L2976	1060L	D4450	1068	T7820	1106	X9046	1199
S2983	951	Y4783	1043	S7975	1127	Y9047	1198
C2993	952	K5107	1056	N8048	1149	B9050	1176L
L3002	955	W5197	1056	P8050	1146	C9051	1176R
J3026	995	B5228	1054	08051	1147	F9340	1191
S3035	969	Q5269	1043	J8070	1148	G9341	1192
W3039	967R	X5407	1057	Y8111	1185	H9342	1190
Y3041	967L	V6054	1159L	C8141	1211	J9344	1194
K3053	967L	X6056	1159R	Q8181	1143L	K9345	1195
L3054	967R	N6098	1090	R8182	1143S	L9346	1193
N3056	1024	P6100	1090	Y8189	1111	E9391	1205
Z3120	1028	L6356	1101S	Z8190	1130	F9392	1206
N3212	968	N6358	1101	C8193	863S	C9519	1197
R3268	1043	Q6361	1196	D8194	863L	Q8935	1181
S3269	1012	X6472	1028	E8195	1015R	G9393	1235
A3277	1043	W6549	1028	F8196	1015L		

NOTE: ALL ROCKWELL NUMBERS CARRY 3202 AS A PREFIX IN THEIR NUMBERING SYSTEMS

NUMERCIAL LISTING OF ROCKWELL REAR AXLE ASSEMBLIES FOR WHICH WE CAN SUPPLY REPLACEMENT AXLES

Rockwell Assembly No.	Foote No.	Rockwell Part No. 3202
B140	932	T2932
D100-40	762	H2686
F106	1054	B5228
F130	1056	K5107-W5197
F140-145-240-340-345	933	D2942
F140D-147	1056	K5107-W5197
G161-341-361	968	N3212
G361	969	S6065-X3742
H100-110	936	CHEV-GMC
H110	1149	N8048
H130-150	937	CHEV-GMC
H135	1146	P8050
H140-240-340-350-370	955	L3002
H141(Dodge)	1080	B4448
H150	938R-L	CHEV-GMC
H150	1022R-L	CHEV
H150	1147	Q8051
H170	1022R-L	CHEV
H170(Ford)	1090	N6098-P6100
H172	1109	D6712
H172(Dodge)	1122	F7572
H175	1148	J8070
L140-145-240-245-340-345	950	G2971
L162-351-362	969	X3742
L346	1028	Z3120
L351	969	S3035
L361	969	H3888
Q145-345	951	S2983
Q246P-346P	1024	N3056
Q345	1043	Q5269
QT140-240-340-345	951	S2983
QT340	1043	R3268
R100-101-110-200-201-210-230-300-310-330	649	Z2054
R101-201-301	999	Z2262
R140	952	C2993
R160-390	967R-L	L-3054-K3053
RL170	1037	X3508
R2090-1	681	K1779
RS13-120	1174R-L	E9001-F9002
RS15-120	1174R-L	E9001-F9002
RS15-210	1174R-L	E9001-F9002
RS17-140	1176R-L	C9051-B9050
RS17-220	1175R-L	J8902-L8904
RS21-145	1178	S9041
RS21-145	1177	T9042
RS21-230	1180	W8915
RS23-160	1183	Q8805
RS23-160	1182	G9003
RS23-180	1183	Q8805
RS23-180	1185	Y8111
RS26-180	1186	W7745
RS23-180	1187	H8666
RS23-240	1188	Y8917
RT140-240-340	952	C2993
RT340	1037	X3508
S170(GMC)	1159R-L	X6056-V6054
S200-300	649	Z2054
SL100	1143L-S	Q8181-R8182
SQ100	1101L-S	N6358-L6356
SR170-270-380	1159R-L	X6056-V6054
T1550	1141	GMC
T150-170-185	937	CHEV-GMC
T150-170	1022R-L	CHEV
T155(GMC)	1145R-L	C7387-Z7384

Rockwell Assembly No.	Foote No.	Rockwell Part No. 3202
T185	1125	GMC
U200-300	649	Z2054
D & D D4640	1015R-L	Q2591-S2593
HQDA-QHAR	1024	N3056
LHAR-LHDA	1028	Z3120
SFD154	681	K1779
SFD450-60-D461 SFD4600-SFDD4600	863L-S	Q2539-N2536
SFD4640	1111-1130	F6792-G6793
SFHD	995	J3026
SHHD	955	L3002-Z3692
SHHD(Dodge)	1080	B4448
SHHR	995	J3026
SJHD	1040	Z3510
SL100	1143L-S	Q8181-R8182
SLD(21 spl.)	1060R-L	J2974-L2976
SLHD	950	G2971
SLHD(GMC)	969	X3742
SLHD	1143L-S	Q8181-R8182
SLHD(GMC)	1028	X6472
SQS-SQDD	921	D2734
SQD-SQDD	922	F2736
SQDD(GMC)	972R-L	L2872-M2873
SQHD	951	S2983
SQHD(IHC)	1024	N3056
SQHD(GMC)	1012	Q5269-S3269
SQHD(GMC)	1043	A3277
SQHD(GMC)	1101L-S	N6358-L6356
SQHD(Wide Track)	1046	Q3423
SQHP	1101L-S	N6358-L6356
SR270/280	1159R-L	X6056-V6054
SRDD	1112R-L	T6780-W6783
SSDD	1111RH-1130LH	F6792-G6793
SSHD	1042-967R	A3459-W3039
SSHD(CHEV-GMC)	1084R-L	A3667-Z3666
SSHD(GMC)	1126L-S	T6728-U6729
SSHR	955	L3002
STHD(GMC)	1145R-L	C7387-Z7384
SUD-SUDD	1035L-S	P3500-N3498
SUDD	1113-1115	G6767-F6766
SUHD	1035L-1159L	P3500-V6054

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
649	F16	Z2054		B8QH4234F	2208920 2428108	56151R1 251896C1	461403 718416		127750
655	F16		15461			54088H 58662H 219891R1			
681	F16	K1779					427472		1090629
691L	F16								1268811
691R	F16								1268810
701L	F10				3660093				
701R	F10				3660094				
729	F16		22619 37311 40935 51084		2426738 2291543		814789		
732A	F16		37883 40934 62214 64893			57408R1 57689R1 94050HA 109389R1 294292C1 298187C1 298188C1 875186R1 3237548R1	718062 879934 879937 879938 881220 898001		
749	F16		30689 32686 56980 64973	8QH4235 B1QH4235A C3TZ4234N		79951R1	846775 330305008		

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
649	F16	40-5/8	2.375	8-3/8	7	8	41/64		8
655	F16	36	1.812	6-3/8	5-3/8	6	33/64	6	
681	F16	40-3/4	1.955	6-1/2	5-1/2	12	17/32	9	3
691L	F16	10-1/2	1.375	4-3/4	4	6	29/64	6	
691R	F16	29-1/4	1.375	4-3/4	4	6	29/64	6	
701L	F10	33	1.638	5-5/16	4-17/32	8	29/64	8	
701R	F10	39-5/6	1.638	5-5/16	4-17/32	8	29/64	8	
729	F16	40-5/8	2.245	8-1/2	7	8	41/64		8
732A	F16	40-11/16	1.975	6-5/8	5-1/2	8	41/64	8	
749	F16	40-3/4	1.975	6-1/8	5-1/4	12	17/32		12

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
750L	K16				3685193 3702205 3702227				
750R	K16				3685194 3702206 3702228				
751L	K10				3685191				
751R	K10				3685192				
755	F16								1194486
758	F16		31403						1196202
762	F16	H2686	31413	7RT4235A					
815	F16	N1417 J1466			2108953				
834	F16		27847 30024 38310 46789 67742		2486050	111658R1 205490R1 259684C1 305236C1 312075C1	716741 716742 875248	365SP86	
837	F16		45961			68932R1 111653R1 205468R1			
842R	F16		22586 31928 37357 42681 67790		2120072 2240328 2291542 2479192 3730536Z		861512		

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
†750L	K16	36-7/16	1.727	3-3/4		20			Teeth
†750R	K16	40-5/8	1.727	3-3/4		20			Teeth
†751L	K10	34-3/32	1.638	3-3/4		20			Teeth
†751R	K10	40-15/32	1.638	3-3/4		20			Teeth
755	F16	37-3/32	1.750	5-13/16	5-3/64	8	7/16	8	
758	F16	37-9/32	1.875	5-3/4	5-3/64	8	7/16	8	
762	F16	36-9/16	1.750	5-1/2	4-3/4	8	29/64		8
815	F16	37	1.625	5-3/4	4-7/8	8	29/64		8
834	F16	39-3/4	2.125	8-1/2	7	8	49/64	8	
837	F16	39-1/2	1.875	6-1/4	5.225	6	41/64	8	
842R	F16	40-15/16	1.985	6-1/8	5-1/4	12	33/64		12

†Dagger denotes length measured overall, NOT under flange.

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
843	F16					82778R1			
844	F16		45960			69187R1 111651R1 205463R1 229166R1			
846	F16		32586 43776			77609R1 108117R1 171093R1	718167		
847	F16		30470		2241439		819050		
855	F16		31136			66017R1 108459R1 171628R1 336471C1	861577		
863L	F16	Q2539 D8194		C3TZ4234F	2272615	340568C1 698646R1	718873		
863S	F16	N2536 C8193		C3TZ4234E	2272614	340569C1 698647R1	718872		
864	F16		30562 37303 44450 56203		2290550 2359830 2431537		846681		
866	F16		35332 45059			95287R1 101716R1 179882R1			
892	F16		38208	TUAA4235A	5727159	205490R1	875248		256011

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
843	F16	36-3/16	1.510	5-1/4	4-3/8	6	33/64	6	
844	F16	36-13/16	1.743	5-3/4	4-7/8	8	33/64	8	
846	F16	36-3/4	1.745	5-3/4	4-7/8	8	33/64	8	
847	F16	38-1/2	1.875	6-3/16	5-5/16	8	37/64		8
855	F16	38-1/2	1.875	6-1/4	5.225	6	41/64	6	
863L	F16	46-1/16	2.490	8-3/8	7	8	41/64		8
863S	F16	37-7/8	2.490	8-3/8	7	8	41/64		8
864	F16	40-13/16	2.125	8-1/2	7	8	41/64		8
866	F16	38-5/8	1.750	6-1/4	5.225	6	41/64	6	
892	F16	39-3/4	2.125	8-1/2	7	8	49/64	8	

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
895L	J17							68KHC356P1	
895S	J17							68KHC356P2	
921	F16	D2734				138764R1	843670		
922	F16	F2736				138765R1	843671		
933	F19	D2942		B4T4235A B6T4235A			883520		
936	K27				3762916				
937	K29				3709890 3762885 3762907				
938L	K29				3711457 3762891				
938R	K29				3711458 3762892				
950	F21	G2971			2468584	172052R1 211626R1	870558		1665635
951	F22	S2983				983610R1	871899		1665719
952	F23	C2993				168425R1 898212R1	878109		1665822
953	F16		37150 38045 38928 42925	B8QH4235G		111045R1 123741R1 284147C1	839118A	365SP84	

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
†895L	J17	50-1/8	2.190						
†895S	J17	39-11/16	2.190						
921	F16	45-5/8	2.120	7-15/32	6-1/2	12	33/64	6	6
922	F16	34-7/16	2.120	7-15/32	6-1/2	12	33/64	6	6
933	F19	37-1/2	1.770	6-1/8	5-1/8	8	29/64		8
†936	K27	37-7/16	1.730	3-3/4		20			Teeth
†937	K29	39-7/16	1.855	4-3/16		40			Teeth
†938	K29	38-1/16	1.855	4-3/16		40			Teeth
†938R	K29	40-9/16	1.855	4-3/16		40			Teeth
950	F21	40-3/8	1.995	6-3/8	5-11/16	12	15/32		12
951	F22	40	2.120	4-15/32	6-1/2	12	33/64	6	6
952	F23	40-7/8	2.245	8-3/8	7	8	41/64		8
953	F16	39-5/8	2.245	8-1/2	7	8	49/64	8	

†Dagger denotes length measured overall, NOT under flange.

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
955	F20	L3002 Z3692		C3TZ4234K C7TZ4234B	675889 237286		870562		
957L	J17							68KH3129P1	
957S	J17							68KH3129P2	
959L	J17							68KH358P1-4	
959S	J17							68KH358P2-3	
960L	F17							68KH3120P3 68KH3121P3	
960S	F17							68KH3120P2 68KH3121P2	
965	F16	Q2513					852108		
967L	F23	K3053 Y3041				358879C1 983452R1 983717R1	861141 887574		
967R	F23	W3039 L3054			2350221 2398830	358880C1 983451R1 983718R1	861142 881632		2560424
968†	K20	N3212			2358251				
969	F21	S3035 X3742 H3888 U3921			2349682 2417717 2431395				
972L	F16	Q3943 M2873			2319812 2448043	297337C1	297337C1	3103964	

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
955	F20	38-3/16	1.872	6-1/4	5-5/16	8	33/64		8
957L	J17	50-1/8	2.190						
957S	J17	39-11/16	2.190						
959L	J17	51-5/8	2.625						
959S	J17	40-5/8	2.625						
960L	F17	45-1/8	2.190	7-11/32	6-3/8	8	9/16	8	
960S	F17	34-3/4	2.190	7-11/32	6-3/8	8	9/16	8	
965	F16	39-3/16	1.625	6-3/8	5-9/16	8	17/32	8	
967L	F23	37-15/16	2.250	8-3/8	7	8	41/64		8
967R	F23	43-1/2	2.250	8-3/8	7	8	41/64		8
1968	K20	39-1/8	1.875	4-3/16		40			Teeth
969	F21	40-11/16	2.000	6-1/8	5-1/4	12	33/64		12
972L	F16	46-1/4	2.120	8-3/8	7	8	41/64		8

†Dagger denotes length measured overall, NOT under flange.

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
972R	F16	L2872 P3942			2319811 2448042	297338C1	3103965		
983	F20		43981			157518R1			
984R	F16		44007			175395R1 272120C1			
984L	F16		44006			175394R1 272119C1			
985	F22		43984			161087R1 892604C1			
989L	F20		43982			172714R1			
989R	F20		43983			172715R1			
991	F16								7922317
995	F16	J3026							
999	F20	Z2262					619787		
1012	F22	S3269			2365637 2408387 2472266				
1015L	F16	S2593 F8196			2402207	974557R1	877262		
1015R	F16	Q2591 E8195			2402206	974558R1	877261		
1022L	F29		55293		3796175				

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
972R	F16	35	2.120	8-3/8	7	8	41/64		8
983	F20	39-5/8	2.093	8-1/2	7	8	49/64	8	
984R	F16	38	1.980	6-5/8	5-1/2	8	41/64	8	
984L	F16	43	1.980	6-5/8	5-1/2	8	41/64	8	
985	F22	39-3/8	2.302	8-1/2	7	8	49/64	8	
989L	F20	42-1/16	2.093	8-1/2	7	8	49/64	8	
989R	F20	37	2.093	8-1/2	7	8	49/64	8	
991	F16	33-5/16	1.310	4-3/4	3-31/32	8	29/64		8
995	F19	38-3/8	1.770	6-1/4	5-5/16	8	33/64		8
999	F20	40-5/8	2.375	8-3/8	7	8	41/64		8
1012	F22	41	2.125	8-3/8	7	8	41/64		8
1015L	F16	49-7/8	2.485	8-3/8	7	8	3/4		8
1015R	F16	41-3/4	2.485	8-3/8	7	8	3/4		8
1022L	F29	37-1/4	1.860	6-3/16	5-5/16	8	37/64		8

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
1022R	F29		55294		3796176				
1024	F22	N3056 L6564		C1TT4235A D5HZ4235A		175542R1 353064R1	027089999		
1025	F29				3796177				
1026	F16		52281 56979	C1TT4235C C3TZ4234R			887997 1728392		3736653
1028	F21	Z3120 X6472 W6549		C1TT4235E D4HZ4234A	2005145	213526R1 579418C91	027075968		
1037	F24	X3058 Z3718 Z3771 V6730		D3HZ4234A	2431515 2418918	436422R1 752895C1 257266C1	1715590	365SP87 365SP96	2505729 2560620
1040	F22		54014 67747	DBHZ4234A	2428133 2491259		330305003		2239744 2552579
1042	F23	A3459 V6574			2398829	242942R1	881633		2560425
1043	F22	A3277 R3268 Y4783 Q5269		D7HZ4235A	2366740 2472266	464373C1	027087695 3120157-9		3496241
1044	F20	Z3510					864017	365SP85	
1046	F22	Q3423				281409C1 333453C1			

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
1022R	F29	39-3/4	1.860	6-3/16	5-5/16	8	37/64		8
1024	F22	39-3/16	2.125	8-1/2	7	8	49/64	8	
1025	F29	38-1/2	1.860	6-3/16	5-5/16	8	37/64		8
1026	F16	39-1/8	1.883	6-1/4	5-5/6	8	33/64		8
1028	F21	40-5/16	2.000	6-1/8	5-1/4	12	33/64		12
1037	F24	40-11/16	2.375	8-3/8	7	8	41/64		8
1040	F22	41	2.302	8-1/2	7	8	41/64		8
1042	F23	38-7/16	2.250	8-3/8	7	8	41/64		8
1043	F22	40-9/16	2.125	8-3/8	7	8	41/64		8
1044	F20	40-1/4	1.875	6-7/16	5-11/16	12	15/32		12
1046	F22	43-1/4	2.125	7-15/32	6-1/2	12	33/64	6	6

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
1048	F16		62164		2457690				
1049	F16		62165 67591		2458460 2477769 2477790		V1112035		
1051	F22		51264 53597 55957 102560	C4TZ4234A		436957R1	888728		
1052	F16		56981	C3TZ4234P		288345C1 352528C1	891918		
1053	F19	B5228	65360	C4TZ42340		1677097C1	700890		
1055	F23			C7TZ4234A C9TZ4234D					2587864
1056	F19	K5107							2512525 2512065 2506987 2585378
1057	F16	X5406	55987				3101307	365SP94	2808205 2232205
1058	F16		59502 72617		2448315 8871758				
1060L	F21	L2976					878774		
1060R	F21	J2974					878773		

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
1048	F16	39	1.875	6-3/16	5-5/16	8	9/16		8
1049	F16	41-5/16	1.980	6-1/8	5-1/4	12	9/16		12
1051	F22	39-7/8	2.302	8-1/2	7	8	49/64	8	
1052	F16	40-1/8	2.125	8-1/2	7	8	49/64	8	
1053	F16	38-7/16	1.8756	6-1/4	5-5/16	8	33/64		8
1054	F19	38-3/16	1.770	6-1/8	5-1/8	8	29/64		8
1055	F23	35-1/16	1.498	4-3/4	3-31/32	8	29/64		8
1056	F19	38-1/16	1.770	5-15/16	5-3/64	8	29/64		8
1057	F16	38-3/4	1.875	5-15/16	5-3/64	8	29/64		8
1058	F16	39-1/2	1.875	6-3/6	5-5/16	8	9/16		8
1060L	F21	34-3/4	2.000	6-7/16	5-11316	12	15/32		12
1060R	F21	46	2.000	6-7/16	5-11/16	12	15/32		12

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
1063	F16		64130	C3TZ4234P		288345C1 352528C1	891918		
1068	F16	D4450							2960024
1070	F30								3491431 3633824 4036684
1076	F35								3633829
1077	F35								2910941
1078	F35								2952475
1080	F20	B4448							2960026
1081	F16		81683						2960025
1083	F16		81216	D7HZ4234A	669415		330305002		
1084L	F24	Z3666		D8HZ4234E	795824	581594C1	893514	365SP91	
1084R	F24	A3667		D8HZ4234D	795825		893515	365SP90	
1087	F16		62166		2461392		330305037		3496240
1088	F16			D3TZ4234N					
1089	F16			C9TZ4234C					
1090	F36	N6098 P6100		C8TZ4234E					
1091	F35			D5UZ4234E					

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
1063	F16	40-1/8	2.120	8-1/2	7	8	49/64	8	
1068	F16	38-5/8	1.875	6-1/4	5-5/16	8	33/64		8
1070	F30	34-5/16	1.292	4-3/4	3-31/32	8	29/64		8
1076	F35	36-15/16	1.500	4-3/4	3-31/32	8	29/64		8
1077	F35	36-1/8	1.500	4-3/4	3-31/32	8	29/64		8
1078	F35	36	1.500	5-1/4	4-3/8	6	33/64		8
1080	F20	37-15/16	1.875	6-3/16	5-5/16	8	33/64		8
1081	F16	39	1.875	6-3/16	5-5/16	8	33/64		8
1083	F16	41-11/16	2.125	8-1/2	7	8	41/64		8
1084L	F24	43-9/16	2.375	8-3/8	7	8	41/64		8
1084R	F24	38-1/16	2.375	8-3/8	7	8	41/64		8
1087	F16	41-5/16	2.125	8-1/2	7	8	41/64		8
1088	F16	33-5/16	1.310	4-3/4	3-31/32	8	29/64	8	
1089	F16	33-5/16	1.310	4-3/4	3-31/32	8	29/64	8	
1090	F36	38-7/16	1.835	6-1/4	5-5/16	8	33/64		8
1091	F35	34-1/8	1.500	4-3/4	3-31/32	8	29/64	8	

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
1092	F35			D5UZ4234F					
1095	F35			D5TZ4234B					
1096	F30			D4TZ4234A					
1097	F30			D5TZ4234A					
1098	F16		88987						3893152
1099	F16					455462C1			
1100	F16					455463C1			
1101L	F41	N6358		D8HZ4234C	791454	799567C1	Q27075387		
1101S	F41	L6356		D8HZ4234B	791453	799568C1	Q27075386		
1102	F16					455461C1			
1103	F16					455460C1			
1104	F16		76917			792886C1	330305056		
1105	F16					455464C1			
1106	F34	T7820		E0HZ4234D					
1107	F36			E0HZ4234A					
1108	F19	E7415		D6TZ4235A	793224				
1109	F39	D6712		D7HZ4234C		573296C1			

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
1092	F35	37-1/2	1.500	4-3/4	3-31/32	8	29/64	8	
1095	F35	35-1/8	1.500	4-3/4	3-31/32	8	29/64	8	
1096	F30	34-11/16	1.292	4-3/4	3-31/32	8	29/64	8	
1097	F30	33-5/16	1.250	4-3/4	3-31/32	8	29/64	8	
1098	F16	40-1/2	1.875	6-1/8	5-1/4	12	37/64		12
1099	F16	38-5/8	1.745	6-3/16	5.225	8	37/64	8	
1100	F16	39-1/2	1.875 Straight	6-3/16	5.225	8	37/64	8	
1101L	F41	42-3/8	2.100	8-1/2	7	8	41/64		8
1101S	F41	38-3/8	2.100	8-1/2	7	8	41/64		8
1102	F16	39-1/2	1.875 Taper	6-3/16	5.225	8	37/64	8	
1103	F16	38-5/8	1.750	6-3/16	5.225	8	37/64	8	
1104	F16	41-5/16	2.125	8-1/2	7	8	41/64	8	
1105	F16	39-15/16	1.875	6-3/16	5.225	8	37/64	8	
1106	F34	36-5/16	1.750	5-9/16	4-3/4	8	29/64		8
1107	F36	38-11/16	1.835	6-1/4	5-5/16	8	33/64		8
1108	F19	36-5/16	1.770	5-9/16	4-3/4	8	29/64		8
1109	F39	38-3/4	2.000	6-1/4	5-5/16	8	17/32		8

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
1110	F39	P7816		E0HZ4234C					
1111	F50	F6792 Y8189		D7HZ4234F		4884418C1			
1112L	F46	W6783		D7HZ4234J		496682C1			
1112R	F46	G6780		D7HZ4234H		496683C1			
1113	F46	G6767		D7HZ4234E		485472C1			
1114	F22		99024	D7HZ4234B	2010874	577243C1	330305016		
1115	F46	F6766		D7HZ4234D		485473C1			
1122	F39	F7572		E0HZ4234B E3HZ4234C	2088183		V1111164		4037914 2096038
1123L	F41	N6358				799567C1			
1123R	F41	L6356				799568C1			
1124L	F24				94025968				
1124R	F24				94025967				
1125	F29				794363				
1126L	F24	T6728			2033901	471822C1			
1126S	F24	U6729			2033902	471821C1			
1127	F39	S7975			2064176				

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
1110	F34	38-3/8	1.750	6-1/8	5-1/8	8	29/64		8
1111	F50	37-9/16	2.540	8-3/8	7	8	41/64		8
1112L	F46	46-7/16	2.340	8-3/8	7	8	41/64		8
1112R	F46	35	2.340	8-3/8	7	8	41/64		8
1113	F46	45-1/8	2.340	8-3/8	7	8	41/64		8
1114	F22	41-1/4	2.290	8-1/2	7	8	41/64		8
1115	F46	37-3/8	2.340	8-3/8	7	8	41/64		8
1122	F39	40-13/16	2.000	6-1/4	5-1/4	12	17/32		12
1123L	F41	42-1/2	2.100	8-3/8	7	8	41/64		8
1123R	F41	38-3/8	2.100	8-3/8	7	8	41/64		8
1124L	F24	43-9/16	2.062	6-1/8	5-1/4	12	17/32		12
1124R	F24	37-9/16	2.062	6-1/8	5-1/4	12	17/32		12
1125	F29	40-11/16	1.860	6-3/16	5-1/4	12	17/32		12
1126L	F24	43-3/16	2.370	8-3/8	7	8	41/64		8
1126S	F24	38	2.370	8-3/8	7	8	41/64		8
1127	F39	38-3/4	2.000	6-1/4	5-1/4	8	33/64		8

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
1128	F22		79005				027090062		
1129	F23		88192	E1HZ4234A	2014079		027092513		
1130	F50	G6793 Z8190		D7HZ4234G		484417C2 484420C2			
1131	F16		79130 80929			792927C1	31109544 027091269		2953172
1132	F36		111348		2084246				
1133	F36		110881 111347	E1HZ4234B			330305068		
1134	F39		110882	E1HZ4234C			330305054		
1135	F41		110883 110884	E1HZ4234D	2099148 15585167		330305045 330305046		
1136	F36		110885	E1HZ4234E	2095394	592439C1	330305041		
1137	F34		110880	E1HZ4234F					
1138	F36		110890	E2HZ4234A	2099842				
1139	F36		113645	E3HZ4234B			330305075		
1140	F39		110886		2093185		330305078		
1141	F34		111544		2078076				
1142	F36		111545		2078077				
1143L	F39	Q8181		E3HZ4234D	15515252	592500C1	330305052		

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
1128	F22	407/8	2.298	8-1/2	7	8	41/64	8	
1129	F33	41-7/16	2.125	8-1/2	7	8	41/64		8
1130	F50	45-5/8	2.540	8-3/8	7	8	41/64		8
1131	F16	40-3/4	2.125	7-15/32	6-1/2	12	33/64	6	6
1132	F36	38-3/8	1.850	6-1/4	5-5/16	8	33/64		8
1133	F36	38-3/8	1.850	6-1/4	5-5/16	8	33/64		8
1134	F39	40-7/8	2.000	6-1/8	5-1/4	12	17/32		12
1135	F41	41-1/2	2.100	8-1/2	7	8	41/64		8
1136	F36	41-1/2	2.312	8-1/2	7	8	41/64		8
1137	F34	38-3/16	1.750	6-1/8	5-1/8	8	29/64		8
1138	F36	41-1/8	2.312	8-1/2	7	8	41/64		8
1139	F36	40-9/16	1.850	6-1/8	5-1/4	12	17/32		12
1140	F39	41-5/16	2.000	6-1/8	5-1/4	12	17/32		12
1141	F34	38-3/4	1.850	6-1/4	5-5/16	8	33/64		8
1142	F36	38-11/16	1.850	6-1/4	5-5/16	8	33/64		8
1143L	F39	42-5/16	2.000	6-1/4	5-1/4	12	17/32		12

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
1143S	F39	R8182		C3HZ4234E	155152959	592501C1	330305053		
1144	F33		91133						
1145L	F24	Z7384			2017542	466122C1	330305001		
1145R	F24	C7387			2017541	466121C1	330305000		
1146	F34	P8050			2088210				
1147	F34	Q8051			2086307				
1148	F39	J8070			2086366 2099893				
1149	F32	N8048			2088185				
1150	F39		119594			578778C1			
1151	F41		119595			577506C1			
1152L	F41					577504C1			
1152R	F41					577505C1			
1153	F36		113335						
1154	F36					571348C1			
1155L	F39					578776C1			
1155R	F39					578777C1			
1156	F41					571350C1			

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
1143S	F39	38-5/16	2.000	6-1/4	5-1/4	12	17/32		12
1144	F33	41-7/16	2.125	8-1/2	7	8	41/64	8	
1145L	F24	38-3/4	2.375	8-3/8	7	8	41/64		8
1145R	F24	44-1/2	2.375	8-3/8	7	8	41/64		8
1146	F34	38-1/2	1.750	5-5/8	4-3/4	8	5/8		8
1147	F34	38-5/16	1.750	6-1/4	5-5/16	8	5/8		8
1148	F39	38-3/16	2.000	6-1/4	5-5/16	8	5/8		8
1149	F32	38-1/8	1.650	5-5/8	4-3/4	8	5/8		8
1150	F39	41	2.000	6-5/8	5-1/2	8	41/64	8	
1151	F41	40-3/4	2.100	8-1/2	7	8	49/64	8	
1152L	F41	42-3/4	2.100	8-1/2	7	8	49/64	8	
1152R	F41	37-3/4	2.100	8-1/2	7	8	49/64	8	
1153	F36	40-11/16	2.312	8-1/2	7	8	49/64	8	
1154	F36	39-7/8	1.850	6-3/16	5.225	8	37/64	8	
1155L	F39	43-1/8	2.000	6-5/8	5-1/2	8	41/64	8	
1155R	F39	38-1/8	2.000	6-5/8	5-1/2	8	41/64	8	
1156	F41	40-3/16	2.100	8-1/2	7	8	49/64	8	

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
1157	F46					571351C1			
1158	F36		119593			577549C1			
1159L	F24	B3512 V6054			2095179 793937	574508C1 521710C1	027093212		
1159R	F24	X6056			2095180	574507C1	33030522		
1160	F34		119592			577548C1			
1161	F39					571349C1			
1162L	F30				3977383				
1162R	F30				3977384				
1163	F36					571347C1			
1164	F41			E4HZ4234B	15510267				
1165L	F16					463338C1			
1166	F39	M8983		E6HZ4234E					
1167	F34		118866	E6HZ4234A					
1168	F36	101431-5		E6HZ4234A					
1169	F39	101437-4		E6HZ4234B					

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
1157	F46	40-1/8	2.350	8-1/2	7	8	49/64	8	
1158	F36	39-3/8	1.850	6-3/16	5.225	8	37/64	8	
1159L	F24	39-3/8	2.375	8-3/8	7	8	41/64		8
1159R	F24	41-5/8	2.375	8-3/8	7	8	41/64		8
1160	F34	38-5/8	1.750	6-3/16	5.225	8	37/64	8	
1161	F39	40-5/8	2.000	6-5/8	5-1/2	8	41/64	8	
1162L	F30	31-11/16	1.550	4-1/2	3.562	8	33/64	8	
1162R	F30	37-9/16	1.550	4-1/2	3.562	8	33/64	8	
1163	F36	39-1/8	1.850	6-3/16	5.225	8	37/64	8	
1164	F41	41	2.100	8-1/2	7	8	41/64		8
1165L	F16	38	1.745	6-3/16	5.225	8	37/64	8	
1165R	F16	39	1.745	6-3/16	5.225	8	37/64	8	
1166	F39	39-3/4	2.000	6-1/4	5-1/4	12	17/32		12
1167	F34	38-1/4	1.750	6-1/4	5-5/16	8	5/8		8
1168	F36	40-11/16	1.850	6-1/4	5-1/4	12	17/32		12
1169	F39	41	2.000	8-3/8	7	8	41/64		8

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
1170	F41	B8790		E6HZ4234C		1648891C1			
1171	F41	Z8788		E6HZ4234D		1648890C1			
1172	F34	Q8389		E0HZ4234E					
1173	F41	P8362							
1174L	F34	F9002		E7HZ4234A					
1174R	F34	E9001		E7HZ4234B					
1175L	F36	L8904		E7HZ4234F					
1175R	F36	J8902		E7HZ4234E					
1176L	F36	B9050		E7HZ4234D					
1176R	F36	C9051		E7HZ4234C					
1177	F41	T9042		E7HZ4234G	15617637				
1178	F41	S9041		E7HZ4234H	15617636				
1179*	F41	U9043		E8HZ4234A					
1180	F39	W8915		E7HZ4234J					
1181	F39	Q8935		E9HZ4234G					
1182	F46	G9003		E7HZ4234K	15575921	1651230C1			
1183	F46	Q8805		E7HZ4234L	15575920	1651231C1			

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
1170	F41	41-1/4	2.092	8-3/8	7	8	41/64		8
1171	F41	40-3/8	2.092	8-3/8	7	8	41/64		8
1172	F41	38-1/4	1.750	6-1/4	5-5/16	8	5/8		8
1173	F41	40-7/8	2.100	8-3/8	7	8	41/64		8
1174R	F34	38-5/8	1.750	6-1/4	5-5/16	8	33/64		8
1174L	F34	37-1/4	1.750	6-1/4	5-5/16	8	33/64		8
1175L	F36	40-7/16	1.850	6-1/4	5-1/4	12	17/32		12
1175R	F36	41-7/16	1.850	6-1/4	5-1/4	12	17/32		12
1176L	F36	38-1/16	1.850	6-1/4	5-1/4	12	17/32		12
1176R	F36	44-1/16	1.850	6-1/4	5-1/4	12	17/32		17
1177	F41	44-1/16	2.100	8-3/8	7	8	41/64		8
1178	F41	38-1/8	2.100	8-3/8	7	8	41/64		8
1179*	F41	44-1/16	2.100	8-3/8	7	8	41/64		8
1180	F39	41	2.000	8-3/8	7	8	41/64		8
1181	F39	40-3/16	2.000	8-3/8	7	8	41/64		8
1182	F46	43-7/8	2.340	8-3/8	7	8	41/64		8
1183	F46	37-5/16	2.340	8-3/8	7	8	41/64		8

*DOUBLE SPLINE

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
1184*	F46	B8816		E8HZ4234B		1651232C1			
1185*	F46	Y8111		E7HZ4234M	15576035				
1186	F46	W7745		E7HZ4234N	15583980				
1187*	F46	H8666		E8HZ4234C					
1188	F41	Y88917		E7HZ4234P					
1189	F41	S8937		E9HZ4234H					
1190*	F41	H9342		E9HZ4234A					
1191	F41	F9340		E9HZ4234K		1677098C1			
1192	F41	G9341		E9HZ4234J		1677099C1			
1193*	F46	L9346		E9HZ4234B					
1194	F46	J9344		E9HZ4234M					
1195	F46	K9345		E9HZ4234L					
1196	F41	Q6361		E9HZ4234C					
1197	F41	C9519		E9HZ4234D					
1198	F39	Y9047		E9HZ4234E					
1199	F39	X9046		E9HZ4234F					
1200	F39		119627		15584538		33030-5074		

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
1184*	F46	44-1/8	2.340	8-3/8	7	8	41/64		8
1185*	F46	42-7/8	2.340	8-3/8	7	8	41/64		8
1186	F46	38-3/4	2.340	8-3/8	7	8	41/64		8
1187*	F46	43	2.340	8-3/8	7	8	41/64		8
1188	F41	41-1/8	2.100	8-3/8	7	8	41/64		8
1189	F41	40-3/8	2.100	8-3/8	7	8	41/64		8
1190*	F41	43-1/4	2.100	8-3/8	7	8	41/64		8
1191	F41	37-1/4	23100	8-3/8	7	8	41/64		8
1192	F41	43-1/4	2.100	8-3/8	7	8	41/64		8
1193*	F46	43-1/4	2.340	8-3/8	7	8	41/64		8
1194	F46	36-3/4	2.340	8-3/8	7	8	41/64		8
1195	F46	43	2.340	8-3/8	7	8	41/64		8
1196	F41	41-9/16	2.100	8-3/8	7	8	41/64		8
1197	F41	37-7/16	2.100	8-3/8	7	8	41/64		8
1198	F39	43-1/2	2.000	6-1/4	5-1/4	12	17/32		12
1199	F39	37-5/8	2.000	6-1/4	5-1/4	12	17/32		12
1200	F39	41-1/4	2.500	8-1/2	7	8	41/61		8

*DOUBLE SPLINE

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
1201	F36		126274		15601462				
1202	F36		210512		15584981				
1203	F36		210628		15577003				
1204	F46	S6779		E9HZ4234N					
1205	F46	E9391		E9HZ4234R					
1206*	F46	F9392		E9HZ4234P					
1207	F41		119595			596737C1			
1208	F36		119596			574679C1			
1209	F39		113889 119949			1608185C1			
1210	F33		113334			577538C1			
1211	F24	C8141				574555C1			
†1212L	J17							68KH316P2	
†1212S	J17							68KH316P1	
†1213L	J17							68KH3202P1	
†1213S	J17							68KH3202P2	

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
1201	F36	40-15/16	1.850	6-1.8	5-1/4	12	17/32		12
1202	F36	41-1/4	1.850	6-1.8	5-1/4	12	17/32		12
1203	F36	41-1/4	1.850	6-1.8	5-1/4	12	17/32		12
1204	F46	41-7/8	2.340	8-3/8	7	8	41/64		8
1205	F46		2.340	8-3/8	7	8	41/64		8
1206	F46	41-15/16	2.340	8-3/8	7	8	41/64		8
1207	F41	40-3/4	2.100	8-/8	7	8	25/32	8	
1208	F36	40-3/4	2.312	8-3/8	7	8	25/32	8	
1209	F39	40-9/16	2.500	8-3/8	7	8	25/32	8	
1210	F33	40-3/4	2.125	8-3/8	7	8	49/64	8	
1211	F24	40-1/16	2.375	8-3/8	7	8	19/64	8	
†1212L	J17	50-3/16	2.375						
†1212S	J17	39-11/16	2.375						
†1213S	J17	39-11/16	2.187						

†Dagger denotes lengths measured overall, NOT under flange.
*DOUBLE SPLINE

FOOTE AXLE SHAFT NUMBER TO ORIGINAL EQUIPMENT MANUFACTURER NUMBER

FOOTE NO.	TYPE	ROC.	EATON	FORD	GMC CHEVY	NAVISTAR	WHITE	MACK	DODGE
1214			110888			512974C1			
1215			110889						
1216		Q9117				1665492C1			
1217		R9118				1665496C1			
1218		S9119				1686034C1			
1219		T9484							
1220		U9485							
1224			111778	E8HZ4234H		1686033C1			
1225			119628						
1226			127437						
1227			127438						
1228			128514						
1229			128515						
1230			129010						
1231			129011						
1232			210654		15535797				
1233								68KH48	
1234						1699568C1			
1235		G9393							

SPECIFICATIONS OF FOOTE AXLES

SHAFT NO.	TYPE	LENGTH	SPLINE O.D.	FLANGE O.D.	BOLT CIRCLE	STUD BOLT HOLES			
						QTY	SIZE	STR	TAPER
1214	F41	41-5/16	2.100	8.5	7	8	41/64	X	
1215	F36	40-7/8	2.310	8.5	7	8	41/64	X	
1216	F41	37-3/16	2.100	8.38	7	8	25/32	X	
1217	F41	43-9/64	2.100	8.38	7	8	25/32	X	
1218	F41	43-9/64	2.100	8.38	7	8	25/32		X
1219	F41	44	2.100	8.38	7	8	41/64	X	
1220	F41	44	2.100	8.38	7	8	41/64	X	
1224	F41	40-5/8	2.000	7.49	6.5	12	33/24		X
1225	F39	41-5/16	2.500	8.5	7	8	41/64	X	
1226	F41	39	2.100	8.5	7	8	41/64	X	
1227	F41	43-3/8	2.100	8.5	7	8	41/64	X	
1228	F41	38-3/32	2.100	8.5	7	8	25/32	X	
1229	F41	42-7/16	2.100	8.5	7	8	25/32	X	
1230	F39	38-1/2	2.000	6-1/8	5.25	12	17/32		X
1231	F39	42-5/8	2.000	6-1/8	5.25	12	17/32		X
1232	F36	40.91	1.850	6-1/8	5.25	12	25/32	X	
1233	F17	39-9/16	2.367	8.38	7	8	41/64		X
1234	F36	40-1/4	1.850	6.62	5-1/2	8	41/64	X	
1235	F46	37-3/8	2.350	8.38	7	8	41/64		X

NUMERICAL LISTING PRINCIPAL APPLICATION AND APPROXIMZTE SHIPPING WEIGHT
TRUCK AND BUS AXLES

Our No.	Application	Weight
649	Diamond T	51
	Dodge	
	Federal	
	Ford	
	GMC	
	IHC	
	Kenworth	
	Peterbilt	
	Reo	
	White	
655	IHC	26-1/2
664	IHC	14
681	Autocar	34
	Diamond T	
	dodge	
	Federal	
	Reo	
	White	
691	Dodge	15
691L-R	Dodge	L-12
		R-16
700	Dodge	22-1/2
701R-L	Chevrolet	R-22-1/2
		L-19-1/2
703R-L	GMC	R-24-1/2
		L-19
729	GMC	46
	White	
732A	Diamond T	34
	IHC	
	Reo	
	White	
749	Dodge	31
	Ford	
	IHC	
	White	
750R-L	Chevrolet	R-23-1/2
	GMC	L-19-1/2
751R-L	Chevrolet	R-20-1/2
	GMC	L-17-1/2
754R-L	Dodge	R-11
		L-17-12
755	Dodge	23
758	Dodge	20-1/2
762	Ford	22-1/2
763A	IHC	27-1/2
828	White	39-1/2
834	Diamond T	40
	IHC	
	White	
837	IHC	28-1/2
842R	Chevrolet	31
	Diamond T	
	GMC	
	Reo	
	White	
843	IHC	18-1/2
844	IHC	23
845	IHC	25-1/2
846	IHC	23
	White	
847	Chevrolet	29-1/2
	GMC	
	White	
854	White	49-1/2
855	IHC	28-1/2
858	GMC	22
859R-L	Chevrolet	R-23
	GMC	L-20-1/2
863L-S	Autocar	L-56-1/2
	Diamond T	S-47-1/2
	Federal	
	Ford	
	GMC	
	IHC	
	Kenworth	
	Peterbilt	
	Reo	
	White	
864	Diamond T	42
	GMC	
	White	
866	IHC	25
892	Autocar	40
	Diamond T	
	Dodge	
	Ford	
	GMC	
	IHC	
	Reo	
	White	
893	Ford	12
894	Ford	13
895L-S	Mack	L-40
		S-32
909	IHC	13
917	Chevrolet	22-1/2
921	Autocar	43
	Diamond T	
	Federal	
	IHC	
	Kenworth	
	Reo	
	White	
922	Autocar	34
	Diamond T	
	Federal	
	IHC	
	Kenworth	
	Reo	
	White	
932	Ford	17
933	Ford	25
	Reo	
	White	
936	Chevrolet	19
	GMC	
937	Chevrolet	26
	GMC	
938R-L	Chevrolet	R-26-1/2
	GMC	L-25
950	Autocar	32
	Diamond T	
	Dodge	
	Federal	
	IHC	
	Reo	
	White	
951	Autocar	38-1/2
	Diamond T	
	Dodge	
	Federal	
	IHC	
	Kenworth	
	Peterbilt	
	Reo	
	White	
952	Diamond T	51
	Dodge	
	Federal	
	IHC	
	Reo	
	White	
953	Diamond T	45
	Ford	
	IHC	
	Reo	
	White	
955	Autocar	27
	Diamond T	
	Ford	
	GMC	
	IHC	
	Reo	
	White	
957L-S	Mack	L-40
		S-32
959L-S	Mack	L-60-1/2
		S-42-1/2
960L-S	Mack	L-40-1/2
		S-34-1/2
965	Reo Army	25
	White	
967R-L	Dodge	R-53
	GMC	L-46
	IHC	
	White	
968	Chevrolet	27-1/2
	GMC	
969	GMC	31
972R-L	GMC	R-37-1/2
	IHC	L-46
	White	
983	IHC	41
984R-L	IHC	R-30
		L-34
985	IHC	45
989R-L	IHC	R-38
		L-42
991	Dodge	12
995	Reo	28
999	Autocar	51
	White	
1012	GMC	44
1015R-L	GMC	R-67
	IHC	L-57
	White	
1022R-L	Chevrolet	R-30-1/2
		L-29
1024	Ford	40
	IHC	
	White	
1025	Chevrolet	29-1/2
1026	Autocar	29
	Diamond T	
	Ford	
	Reo	
	White	
1028	Ford	31
	GMC	
	IHC	
	White	
1030	Ford	17-1/2
1037	Dodge	51
	Diamond T	
	Ford	
	GMC	
	IHC	
	Kenworth	
	Peterbilt	
	White	
1040	Dodge	46
	GMC	
1042	Dodge	47
	GMC	
	IHC	
	Reo	
	White	
1043	Dodge	45
	Ford	
	GMC	
	White	
1044	Mack	31
	Reo	
	White	

NUMERICAL LISTING PRINCIPAL APPLICATION AND APPROXIMZTE SHIPPING WEIGHT
TRUCK AND BUS AXLES

Our No.	Application	Weight
1046	IHC	41
1048	Chevrolet	29
	GMC	
	White	
1049	Chevrolet	32
	GMC	
1051	Autocar	45
	Diamond T	
	Ford	
	IHC	
	Reo	
	White	
1052	Ford	41
	IHC	
	White	
1053	Ford	28
	White	
1054	Ford	25
1055	Dodge	17
	Ford	
1056	Dodge	25
1057	Dodge	28
	White	
1058	Chevrolet	30
	GMC	
1060R-L	Diamond T	R-41
	White	L-32
1063	Ford	41
	IHC	
	White	
1068	Dodge	29
1070	Dodge	15
1076	Dodge	18
1077	Dodge	17-1/2
1078	Dodge	19
1080	Dodge	28
1081	Dodge	30
1083	Ford	42-1/2
	GMC	
	White	
1084R-L	Ford	R-48
	GMC	L-52
	White	
1085R-L	Dodge	R-11-1/2
		L-13-12
1087	Dodge	42-1/2
	GMC	
	White	
1088	Ford	14
1089	Ford	12
1090	Ford	27-1/2
1091	Ford	17-1/2
1092	Ford	17-1/2
1095	Ford	17
1096	Ford	12-1/2
1097	Ford	13
1098	Dodge	29
1099	IHC	24
1100	IHC	28
1101L-S	Ford	L-46
	GMC	S-43
	Kenworth	
	White	
1102	IHC	28
1103	IHC	24
1104	IHC	42
1105	IHC	28
1106	Ford	23
1107	Ford	28
1108	Ford	23
	GMC	
1109	Ford	33
1110	Ford	25
1111	Ford	52
1112R-L	Ford	R-47
		L-60
1113	Ford	58-1/2
	GMC	
	IHC	
	White	
1115	Ford	51
1122	Dodge	34-1/2
	Ford	
	GMC	
	White	
1123L-R	IHC	L-46
		R-43
1124L-S	GMC	L-33
		S-29-1/2
1125	GMC	28
1126L-S	GMC	L-53
		S-48
1127	GMC	33
1128	Freightliner	46
	Kenworth	
	Peterbilt	
	White	
1129	Ford	47
	GMC	
	White	
1130	Ford	59
1131	Dodge	38
	IHC	
	White	
1132	GMC	28
1133	Ford	29
1134	Ford	31
1135	Ford	42-1/2
1136	Ford	48
	GMC	
1137	Ford	25
1138	Ford	47
	GMC	
1139	Ford	29
1140	GMC	32
1141	GMC	25-1/2
1142	GMC	28
1143L-R	Ford	L-36
	GMC	R-33
	IHC	
1144	Eaton	47
1145R-L	GMC	R-54
		L-49
1146	GMC	23
1147	GMC	25
1148	GMC	33
1149	GMC	23
1150	IHC	35
1151	IHC	42
1152L-R	IHC	L-42-1/2
		R-38-12
1153	IHC	47
1154	IHC	28
1155L-R	IHC	L-37
		R-33
1156	IHC	40-1/2
1157	IHC	51
1158	IHC	28-1/2
1159L-R	GMC	L-52
	IHC	R-54-1/2
1160	IHC	24
1161	IHC	35-1/2
1162L-R	GMC	L-15
		R-17-1/2
1163	IHC	27-1/2
1164	GMC	46
	Ford	
1165R-L	IHC	R-23
		L-22-1/2
1166	Ford	34
1167	Ford	25
1168	Ford	29
1169	Ford	40
	IHC	
1171	Ford	45
	IHC	
1172	Ford	25
1173		46
1174R-L	Ford	R-28
		L-27
1175R-L	Ford	R
		L-32
1176R-L	Ford	R-33
		L-30
1177	GMC	48
	Ford	
1178	GMC	43
	Ford	
1179	Ford	48
1180	Ford	41-1/2
1181	Ford	41
1182	GMC	60
	Ford	
	IHC	
1183	GMC	50
	Ford	
	IHC	
1184	Ford	59
	IHC	
1185	GMC	58
	Ford	
1186	GMC	53
	Ford	
1187	Ford	58
1188	Ford	46
1189	Ford	45
1190	Ford	48
1191	Ford	41
	IHC	
1192	Ford	48
	IHC	
1193	Ford	59
1194	Ford	51
1195	Ford	58
1196	Ford	46
1197	ford	43
1198	Ford	38
1199	Ford	
1200	GMC	57
1201	GMC	34
1202	GMC	37
	Volvo	
1203	GMC	29
1204	Ford	58
1205	Ford	
1206	Ford	58
1207	IHC	42
1208	IHC	50
1209	IHC	56
1210	IHC	45
1211	IHC	55
1212L-S	Mack	L-45
		S-36
1213L-S	Mack	L-40


TO IDENTIFY AN AXLE SHAFT... follow these timesaving steps:

1 Look for Manufacturers Numbers.

They are stamped as shown with the following codes:


Foote = Ⓕ + 3 or 4 digit number
Eaton = 5 or 6 digit number
Rockwell = Letter + 4 digit number

If you are able to read these numbers clearly, phone your local Foote distributor listed below and give them the flange numbers to cross reference in our catalog. The distributor can quickly give you the interchange number and cost.



2 If numbers are unavailable or illegible.

Measure diameter and count number of splines on shaft.
Measure diameter of bolt circle. (Center of hole to center of hole on opposite side of flange.)
Count the number of straight and the number of tapered holes in flange.
Measure length of shaft from inside face of flange to end of spline.
Note whether flange is flat or dome shaped.
Note whether splines are straight or tapered.



3 With all the dimensions and information...

Refer to the Foote catalog for matching specifications or call your local Foote distributor listed below for assistance and availability. **One phone call is all it takes to cut your downtime.**

FOOTE AXLE & FORGE L.L.C.

3954 Whiteside Street
Los Angeles, CA 90063

(323) 268-4151 local
(800) 533-7068 national
(323) 268-9085 fax

www.footeaxle.com



Proud to be manufacturing in the United States for over 65 years.